



Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
314.50	349.44	381

Ovako UK scrap & alloy surcharges

Feb-22

Please note for customers buying in Euros the Q1 exchange rate is £1 = €1.180

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
525A61/CCr3		9265		115.15	127.94	139.33
525A61/CCr3		4265 VDG		115.15	127.94	139.33
605M36/605A37	5905			113.52	126.13	
635M15/637M17	4712			195.51	217.23	
655M13	4715			600.94	667.71	
665M17	4801			373.39	414.88	
704A60/CrMo1		4234 VDG		140.38	155.97	169.86
704A60/CrMo1		9234		140.38	155.97	169.86
708M40/708A42	6126	9288 (708M40/708A42)		149.38	165.98	
709M40	6107			182.80	203.12	
722M24	8310			403.26	448.07	
735A51	7402	9282		118.77	131.97	
805H60		9280		212.85	236.50	
817M40	6506	9205		420.06	466.74	
817M40	6510			420.06	466.74	
826M40	6518			642.30	713.67	
945M38	6201			239.81	266.45	
4130	6037	9226		201.08	223.43	
4140	6080	9288 (4140)		149.55	166.17	180.96
4140 Ni .2/25	1272			179.64	199.60	
SAE 4140 Ni .35/50	6139			219.73	244.15	265.87
4140 Mod (MPS 14)		9240		170.82	189.80	
4140H	6115			145.53	161.70	
4145	6097			143.94	159.93	
4150	6112	9286 (4150)		143.94	159.93	
4340	6514			424.11	471.23	
5160		9261		67.53	75.03	
8620	4542			201.67	224.08	244.02
8620	4548	9225	152G	202.30	224.78	244.79
8620(M)		9253		201.38	223.75	243.67
100Cr6	5621		803 J/N/P	104.71	116.34	126.69
15B41 MOD		4689 VDG		61.96	68.84	74.97
15B41 MOD	5497			61.96	68.84	74.97
SB27M12CB		9660		49.05	54.50	59.35
SB33M15CB		4679		56.26	62.51	68.07
SB43M14B		4678		87.89	97.66	106.35
16MnCr5	4316	9218		73.98	82.20	
16MnCr5	4306			73.98	82.20	
17Cr3	5502			61.17	67.96	74.01
17MnV6	7252	9875		50.34	55.93	60.91
18CrNiMo7-6	4761			103.41	114.90	125.12
20MnCr5	4324			94.85	105.39	
20MnCr5	4334			94.85	105.39	
20MnB5+Cr+HH		4642		37.15	41.28	
20NiCrMo2	4532			214.25	238.06	
23MnNiMoCr54So		4209		408.79	454.21	
23MnNiMoCr54		4219		419.93	466.58	
27MnCrB5	5465			47.61	52.89	
31CrMoV9	6140			271.37	301.52	
33MnCrB5/MPS 16		4648 VDG		218.05	242.28	
33MnCrB5/MPS 16		9648		218.05	242.28	
MPS16		4648		218.05	242.28	
34CrNiMo6	6499	9205		459.52	510.58	
36CrB4 (MPS10)		4646 VDG				

36CrB4 (MPS10)		9646				
36CrB4		4646		122.96	136.62	
38MnSiV6	7221			56.54	62.82	
38MnVs6		4873		48.43	53.81	
40CrMo4	6077			157.15	174.61	190.15
42CrMo4	6082	9288 (42CrMo4)		157.20	174.66	
42CrMO4	1252			155.55	172.83	188.21
42CrMo4		4288		136.91	152.13	165.66
42CrMo4 MOD	6103			195.97	217.75	237.13
42CrMoS4+HH		9287		157.20	174.66	190.21
42CD4	1279			137.43	152.70	166.29
42MnV5		9859		117.48	130.53	142.15
49MnVs3		4850		37.90	42.12	45.86
50CrV4		9282		118.77	131.97	143.71
50CrMo4	6136			157.29	174.76	190.32
51CrV4		4282		118.23	131.37	143.06
51CrV4		4254		162.05	180.05	196.08
51CrV4		9212		110.34	122.60	133.51
51CrV4		4292		128.75	143.05	155.79
51CrV4 Type 1		4291		118.61	131.79	143.52
51CrMoV4		9296		178.05	197.83	215.44
52CrMoV4		4283		185.44	206.04	224.38
52CrMoV4		4296		179.66	199.62	217.39
51CrV4m4		4290		128.46	142.73	155.43
56SiCr7		9072		70.30	78.11	85.06
56SiCr7		9084		70.05	77.83	
56SiCr7 Mod		9071		74.52	82.80	
61SiCr7(32-45 mm)		4077		79.64	88.49	
92506 (320/380)	4540			198.51	220.56	
92520	4738			347.24	385.82	
92520	4739			344.42	382.69	
92523	4741			311.72	346.36	
92506 'A Level'	1280			195.83	217.59	
92523	4743			296.23	329.14	
92245H	5515			107.69	119.65	130.30
3M		9885		115.61	128.46	
3M Issue 19		4885		95.25	105.83	
Ovako 482 (10M)		9857		56.83	63.15	
14M		4857		66.39	73.76	
17M/18M		9858		24.49	27.21	
17M		9891		24.49	27.21	
S460NL		9856		24.49	27.21	
A193 B7	6093			143.94	159.93	
A193 B16	6098			337.32	374.80	
A320 L7	1281			143.94	159.93	
A320 L7	6137			143.94	159.93	
A320 L7	6135			193.78	215.31	
ASTM A 320L	1281			179.64	199.60	217.36
ASTM A 350 LF2	2735			16.95	18.83	20.51
EN11		9262		54.71	60.79	
SMO215(HYTUFF)	4803			510.25	566.95	617.41
TB1398	4740			313.18	347.98	
V2525-75 (146S)	4757		146S	286.73	318.59	346.94
V2142	7256			51.60	57.34	62.44
V2158	4326			97.03	107.81	
V2158		4222		119.12	132.36	
V2244-75	1266			158.41	176.02	
V2244-00	6129			158.41	176.02	
V2250	6112			146.24	162.49	
V2527-70	4701			357.49	397.21	
453C (SS142534)			453C	668.77	743.08	809.22
SB500		9816		42.35	47.06	
V2906	7216	9850		36.74	40.82	
V2908		4108		39.58	43.98	
Cromobolt	6116			195.09	216.77	236.06
047A			047A	14.57	16.19	17.63
143A			143A	79.67	88.53	96.41
146S (V2525-75)	4757		146S	286.73	318.59	346.94
152G (8620)	4548	9225	152G	202.30	224.78	244.79

157C (4320)			157C	423.21	470.23	512.09
157F			157F	370.09	411.22	447.81
157Q			157Q	305.70	339.66	369.89
158Q			158Q	620.86	689.85	751.24
159B			159B	472.66	525.17	571.91
159X			159X	483.08	536.75	584.52
215B			215B	24.29	26.99	29.39
234K (16MnCr5)			234K	82.19	91.32	99.45
236F			236F	98.03	108.93	118.62
248D			248D	445.80	495.34	539.42
253A			253A	646.28	718.09	782.00
253F			253F	599.12	665.69	724.94
253L	4722		253L	651.96	724.40	788.87
253S			253S	647.21	719.13	783.13
255G			255G	727.98	808.87	880.86
256G			256G	798.46	887.17	966.13
258D			258D	796.78	885.31	964.10
275A			275A	552.93		669.04
277L			277L (X200)	448.46	498.29	542.64
TS280M-LX		9880		50.62	56.25	61.26
280M			280M	66.60		80.59
280T (19MnVS6)			280T	66.60		80.59
280X (19MnVS6)			280X	51.50		62.32
322D (25CrMo4)			322D	148.37		179.53
322Y			322Y	108.29	120.32	131.03
326C (4140)			326C	148.00		179.08
327A			327A	204.78		247.78
327A	1233		327A	200.30	222.56	242.37
327A	1291		327A	200.30	222.56	242.37
327B			327B	178.01		215.39
355B			355B	440.01		532.42
356D (34CrNiMo6)			356D	420.82		509.19
368.6		9620		168.52		203.91
398Q			398Q	610.02		738.13
420G			420G	395.88		479.01
495B	6521		495B	511.68		619.13
497Q			497Q (X300)	536.66		649.36
510N			510N	26.47		32.03
513Y			513Y	67.53	75.03	81.71
520M	2721			32.33	35.93	39.12
520-S355J2	2723			32.68	36.32	39.55
528A/E (50CrMo4)			528A/E (X500)	149.47	166.08	180.86
593B			593B	177.42	197.13	214.67
593Q			593Q	177.42	197.13	214.67
594Y			594Y	128.33	142.58	155.27
596Y			596Y	187.61	208.46	227.01
667L			677L/Q/T (X600)	209.19		253.11
803J/N/P (100Cr6)	5621		803 J/N/P	104.71	116.34	126.69
803F/Q (100Cr6)			803F/Q (X800)	106.59		128.98
802F	5620		802F	104.37	115.96	126.28
100Cr6		4268		104.37		126.28
824B (100CrMo7)			824B	192.89		233.40
825B (100CrMo7 3)			825B	222.35		269.05
826B (100CrMo7 4)			826B	280.85		339.83
825T			825T	232.80		281.69
827B			827B	330.81		400.28
837N/R (100CrMn6)			837N/R	125.19		151.48
15MA27	7245			92.82	103.14	112.32
1130	5616			146.51	162.79	
2725	4734			588.26	653.63	
3350	8312			345.45	383.83	
L435-2				646.63	718.48	
1500	7302			396.95	441.06	480.31
Hybrid 55				1663.20	1847.99	2012.47
Hybrid 60				1663.20	1847.99	2012.47
Imanite	6130			411.63	457.37	498.08
IMACRO	8302			304.64	338.49	368.61
S355	2714			39.39	43.77	47.67