

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
364.50	405.00	441

Ovako UK scrap & alloy surcharges

Apr-22

Please note for customers buying in Euros the Q2 exchange rate is £1 = €1.190

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		44.19	49.10	53.47
525A61/CCr3		9265		128.93	143.26	156.01
525A61/CCr3		4265 VDG		128.93	143.26	156.01
605M36/605A37	5905			119.81	133.13	
635M15/637M17	4712			326.72	363.02	
655M13	4715			1072.95	1192.16	
665M17	4801			617.66	686.29	
704A60/CrMo1		4234 VDG		154.85	172.06	187.37
704A60/CrMo1		9234		154.85	172.06	187.37
708M40/708A42	6126	9288 (708M40/708A42)		165.51	183.90	
709M40	6107			200.39	222.65	
722M24	8310			448.32	498.14	
735A51	7402	9282		162.45	180.50	
805H60		9280		299.18	332.42	
817M40	6506	9205		643.89	715.43	
817M40	6510			643.89	715.43	
826M40	6518			1007.45	1119.39	
945M38	6201			352.98	392.21	
4130	6037	9226		286.36	318.18	
4140	6080	9288 (4140)		165.87	184.30	200.70
4140 Ni .2/.25	1272			225.55	250.61	
SAE 4140 Ni .35/.50	6139			293.34	325.94	354.94
4140 Mod (MPS 14)		9240		241.52	268.36	

4140H	6115			160.95	178.84	
4145	6097			159.09	176.76	
4150	6112	9286 (4150)		159.09	176.76	
4340	6514			685.99	762.22	
5160		9261		78.12	86.80	
8620	4542			287.00	318.89	347.27
8620	4548	9225	152G	287.72	319.69	348.15
8620(M)		9253		286.68	318.53	346.88
100Cr6	5621		803 J/N/P	122.24	135.82	147.91
CHAP031		9663		46.21	51.34	55.91
15B35Hm		9667		53.27	59.18	64.45
15B41 MOD		4689 VDG		70.80	78.67	85.67
15B41 MOD	5497			70.80	78.67	85.67
SB24M13B		9643		38.02	42.24	
SB27M12CB		9660		56.13	62.37	67.92
27M12B		9654		37.47	41.63	45.34
SB30M10B		9651		19.36	21.51	23.42
SB30M12CB		9661		61.14	67.93	73.98
SB33M15CB		4679		64.26	71.40	77.76
SB43M14B		4678		119.05	132.27	144.04
SB600		9823		81.07	90.08	98.09
16MnCr5	4316	9218		85.56	95.06	
16MnCr5	4306	9661		85.56	95.06	
17Cr3	5502			70.98	78.87	85.89
17MnV6	7252	9875		73.40	81.56	88.82
18CrNiMo7-6	4761			120.69	134.10	146.03
20MnCr5	4324			109.75	121.95	
20MnCr5	4334			109.75	121.95	
20MnB5+Cr+HH		4642		42.22	46.91	
20NiCrMo2	4532			345.62	384.02	
23MnNiMoCr54So		4209		565.33	628.14	
23MnNiMoCr54		4219		578.09	642.32	
27MnCrB5	5465			54.40	60.45	
31CrMoV9	6140			326.81	363.12	
33MnCrB5/MPS 16		4648 VDG		368.92	409.91	
MPS16		4648		368.92	409.91	
34CrNiMo6	6499	9205		694.46	771.62	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				

36CrB4		4646		151.04	167.82	
38MnSiV6	7221			87.48	97.21	
38MnVs6		4873		73.03	81.14	
40CrMo4	6077			173.59	192.88	210.04
42CrMo4	6082	9288 (42CrMo4)		173.68	192.98	
42CrMO4	1252			172.53	191.69	208.76
42CrMo4		4288		152.01	168.90	183.93
42CrMo4 MOD	6103			214.80	238.67	259.91
42CrMoS4+HH		9287		173.68	192.98	210.15
42CD4	1279			152.76	169.73	184.84
42MnV5		9859		185.73	206.37	224.73
49MnVs3		4850		57.96	64.40	70.14
50CrV4		9282		162.45	180.50	196.56
50CrMo4	6136			173.86	193.18	210.37
51CrV4		4282		165.97	184.41	200.82
51CrV4		4254		208.83	232.03	252.68
51CrV4		9212		148.48	164.97	179.66
51CrV4		4292		173.91	193.24	210.43
51CrV4 Type 1		4291		162.08	180.09	196.11
51CrMoV4		9296		217.62	241.80	263.32
52CrMoV4		4283		232.96	258.84	281.88
52CrMoV4		4296		226.15	251.27	273.64
51CrV4m4		4290		173.59	192.88	210.05
251A58		9073		82.83	92.03	100.23
56SiCr7		9072		78.88	87.64	95.44
56SiCr7		9084		80.48	89.43	
56SiCr7 Mod		9071		85.33	94.82	
61SiCr7(32-45 mm)		4077		91.32	101.47	
92506 (320/380)	4540			283.36	314.85	
92520	4738			541.20	601.34	
92520	4739			544.00	604.45	
92523	4741			490.41	544.90	
92506 'A Level'	1280			267.92	297.69	
92523	4743			461.65	512.94	
92245H	5515			122.08	135.65	147.72
3M		9885		154.63	171.81	
3M Issue 19		4885		127.62	141.80	
Ovako 482 (10M)		9857		86.90	96.56	
14M		4857		98.10	109.00	

17M/18M		9858		45.68	50.75	
17M		9891		45.68	50.75	
S460NL		9856		45.68	50.75	
A193 B7	6093			159.09	176.76	
A193 B16	6098			418.45	464.94	
A320 L7	1281			159.09	176.76	
A320 L7	6137			159.09	176.76	
A320 L7	6135			241.09	267.88	
ASTM A 320L	1281			225.55	250.61	272.91
ASTM A 350 LF2	2735			18.78	20.86	22.72
EN11		9262		63.34	70.37	
SMO215(HYTUFF)	4803			780.08	866.76	943.90
TB1398	4740			492.00	546.67	
V2525-75 (146S)	4757		146S	450.07	500.08	544.58
V2142	7256			74.86	83.18	90.58
V2158	4326			112.25	124.73	
V2158		4222		160.36	178.18	
V2244-75	1266			175.04	194.49	
V2244-00	6129			175.04	194.49	
V2250	6112			161.86	179.85	
V2527-70	4701			587.90	653.23	
453C (SS142534)			453C	1123.09	1247.87	1358.93
SB500		9816		65.99	73.32	
V2906	7216	9850		55.79	61.99	
V2908		4108		44.68	49.65	
Cromobolt	6116			216.95	241.05	262.51
047A			047A	16.27	18.07	19.68
143A			143A	92.10	102.33	111.44
146S (V2525-75)	4757		146S	450.07	500.08	544.58
152G (8620)	4548	9225	152G	287.72	319.69	348.15
157C (4320)			157C	683.98	759.98	827.61
157F			157F	505.92	562.13	612.16
157Q			157Q	510.50	567.22	617.70
158Q			158Q	949.62	1055.13	1149.04
159B			159B	715.42	794.91	865.66
159X			159X	726.98	807.75	879.64
215B			215B	26.86	29.84	32.50
234K (16MnCr5)			234K	95.01	105.56	114.96
236F			236F	113.48	126.09	137.32

248D			248D	735.19	816.88	889.58
253A			253A	1069.04	1187.82	1293.53
253F			253F	987.16	1096.84	1194.46
253L	4722		253L	1081.42	1201.58	1308.52
253S			253S	1070.10	1189.00	1294.82
255G			255G	1226.83	1363.14	1484.46
256G			256G	1331.26	1479.17	1610.82
258D			258D	1101.45	1223.83	1332.75
275A			275A	859.70		1040.24
277L			277L (X200)	589.88	655.43	713.76
TS280M-LX		9880		74.62	82.92	90.30
280M			280M	92.48		111.90
280T (19MnVS6)			280T	92.48		111.90
280X (19MnVS6)			280X	75.58		91.45
322D (25CrMo4)			322D	164.00		198.44
322Y			322Y	118.18	131.32	143.00
326C (4140)			326C	163.77		198.16
327A			327A	253.00		306.13
327A	1233		327A	248.32	275.91	300.46
327A	1291		327A	248.32	275.91	300.46
327B			327B	212.82		257.51
355B			355B	704.28		852.18
356D (34CrNiMo6)			356D	640.24		774.69
368.6		9620		246.89		298.73
398Q			398Q	719.91		871.09
420G			420G	440.74		533.29
495B	6521		495B	627.60		759.39
497Q			497Q (X300)	823.76		996.75
510N			510N	30.03		36.34
513Y			513Y	78.12	86.80	94.53
520M	2721			45.51	50.57	55.07
S355J2(M)		9864		49.00	54.44	59.29
520-S355J2	2723			44.12	49.02	53.38
528A/E (50CrMo4)			528A/E (X500)	165.69	184.10	200.48
593B			593B	249.78	277.53	302.23
593Q			593Q	249.78	277.53	302.23
594Y			594Y	177.60	197.34	214.90
596Y			596Y	233.58	259.53	282.63
667L			677L/Q/T (X600)	232.10		280.83

803J/N/P (100Cr6)	5621		803 J/N/P	122.24	135.82	147.91
803F/Q (100Cr6)			803F/Q (X800)	124.42		150.55
802F	5620		802F	121.83	135.37	147.41
100Cr6		4268		121.83		147.41
824B (100CrMo7)			824B	216.99		262.56
825B (100CrMo7 3)			825B	247.92		299.99
826B (100CrMo7 4)			826B	308.97		373.85
825T			825T	258.99		313.38
827B			827B	362.81		439.00
837N/R (100CrMn6)			837N/R	145.28		175.79
15MA27	7245			132.12	146.80	159.87
1130	5616			161.63	179.58	
2725	4734			965.12	1072.35	
3350	8312			388.09	431.22	
L435-2				1069.46	1188.29	
1500	7302			579.21	643.57	700.85
Hybrid 55				2655.35	2950.39	3212.97
Hybrid 60				2655.35	2950.39	3212.97
Imanite	6130			499.08	554.53	603.89
IMACRO	8302			352.47	391.64	426.49
S355	2714			57.72	64.14	69.85