

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
404.50	449.44	489

Ovako UK scrap & alloy surcharges

May-22

Please note for customers buying in Euros the Q2 exchange rate is £1 = €1.190

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		49.69	55.21	60.12
NV A		8352		20.15	22.39	24.39
525A61/CCr3		9265		162.53	180.59	196.67
525A61/CCr3		4265 VDG		162.53	180.59	196.67
605M36/605A37	5905			131.70	146.33	
635M15/637M17	4712			336.44	373.82	
655M13	4715			1056.38	1173.76	
665M17	4801			602.77	669.75	
704A60/CrMo1		4234 VDG		188.46	209.40	228.04
704A60/CrMo1		9234		188.46	209.40	228.04
708M40/708A42	6126	9288 (708M40/708A42)		203.40	226.00	
709M40	6107			239.95	266.61	
722M24	8310			553.13	614.59	
735A51	7402	9282		199.13	221.25	
805H60		9280		317.96	353.29	
817M40	6506	9205		667.02	741.14	
817M40	6510			667.02	741.14	
817M40 + S		4205		673.73	748.59	
826M40	6518			1005.58	1117.31	
945M38	6201			367.65	408.50	
4130	6037	9226		301.36	334.84	
4140	6080	9288 (4140)		203.99	226.66	246.83
4140 Ni .2/.25	1272			257.96	286.62	
SAE 4140 Ni .35/.50	6139			323.57	359.52	391.51
4140 Mod (MPS 14)		9240		277.42	308.24	
4140H	6115			197.01	218.90	
4145	6097			194.44	216.04	
4150	6112	9286 (4150)		194.44	216.04	
4340	6514			688.94	765.49	
5160		9261		105.90	117.66	
8620	4542			302.18	335.76	365.64
8620	4548	9225	152G	303.10	336.77	366.75
8620(M)		9253		301.77	335.30	365.14
100Cr6	5621		803 J/N/P	167.17	185.74	202.27
CHAP031		9663		61.48	68.31	74.39
15B35Hm		9667		71.26	79.18	86.23
15B41 MOD		4689 VDG		94.92	105.47	114.86
15B41 MOD	5497			94.92	105.47	114.86
SB24M13B		9643		50.28	55.86	
SB27M12CB		9660		75.26	83.62	91.06
27M12B		9654		49.54	55.04	59.94
SB30M10B		9651		24.83	27.59	30.05
SB30M12CB		9661		82.05	91.17	99.28
SB33M15CB		4679		85.99	95.55	104.05
SB43M14B		4678		125.29	139.21	151.60
SB600		9823		86.69	96.32	104.89
16MnCr5	4316	9218		116.73	129.70	
16MnCr5	4306	9661		116.73	129.70	
17Cr3	5502			96.30	107.00	116.52
17MnV6	7252	9875		83.07	92.30	100.52
18CrNiMo7-6	4761			165.01	183.34	199.66
20MnCr5	4324			149.01	165.57	
20MnCr5	4334			149.01	165.57	

20MnB5+Cr+HH		4642		56.17	62.42	
20NiCrMo2	4532			364.31	404.79	
23MnNiMoCr54So		4209		583.53	648.37	
23MnNiMoCr54		4219		596.76	663.07	
27MnCrB5	5465			72.83	80.92	
31CrMoV9	6140			404.06	448.95	
33MnCrB5/MPS 16		4648 VDG		375.10	416.77	
MPS16		4648		375.10	416.77	
34CrNiMo6	6499	9205		727.53	808.36	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		186.05	206.72	
38MnSiV6	7221			96.57	107.30	
38MnVs6		4873		81.49	90.55	
40CrMo4	6077			211.71	235.23	256.17
42CrMo4	6082	9288 (42CrMo4)		211.80	235.33	
42CrMo4	1252			212.28	235.87	256.86
42CrMo4		4288		187.79	208.65	227.22
42CrMo4 MOD	6103			257.14	285.71	311.14
42CrMoS4+HH		9287		211.80	235.33	256.28
42CD4	1279			189.12	210.13	228.83
42MnV5		9859		201.38	223.75	243.67
49MnVs3		4850		64.30	71.44	77.80
50CrV4		9282		199.13	221.25	240.94
50CrMo4	6136			211.97	235.53	256.49
51CrV4		4282		201.07	223.41	243.29
51CrV4		4254		251.76	279.73	304.62
51CrV4		9212		183.69	204.10	222.26
51CrV4		4292		214.54	238.38	259.60
51CrV4 Type 1		4291		198.29	220.32	239.93
51CrMoV4		9296		257.42	286.03	311.48
52CrMoV4		4283		275.95	306.61	333.90
52CrMoV4		4296		266.60	296.22	322.59
51CrV4m4		4290		214.13	237.92	259.10
251A58		9073		106.64	118.48	129.03
56SiCr7		9072		97.11	107.90	117.50
56SiCr7		9084		104.48	116.09	
56SiCr7 Mod		9071		110.03	122.26	
61SiCr7(32-45 mm)		4077		118.99	132.21	
92506 (320/380)	4540			297.61	330.68	
92520	4738			562.95	625.50	
92520	4739			562.21	624.68	
92523	4741			510.46	567.18	
92506 'A Level'	1280			284.92	316.57	
92523	4743			484.34	538.15	
92245H	5515			157.88	175.42	191.04
3M		9885		186.06	206.73	
3M Issue 19		4885		158.03	175.59	
Ovako 482 (10M)		9857		96.40	107.11	
14M		4857		111.84	124.26	
17M/18M		9858		46.91	52.12	
17M		9891		46.91	52.12	
S460NL		9856		46.91	52.12	
A193 B7	6093			194.44	216.04	
A193 B16	6098			463.15	514.61	
A320 L7	1281			194.44	216.04	
A320 L7	6137			194.44	216.04	
A320 L7	6135			276.56	307.29	
ASTM A 320L	1281			257.96	286.62	312.13
ASTM A 350 LF2	2735			24.10	26.78	29.16
EN11		9262		85.83	95.37	
SMO215(HYTUFF)	4803			789.05	876.73	954.76
TB1398	4740			512.53	569.47	
V2525-75 (146S)	4757		146S	467.37	519.30	565.52
V2142	7256			84.90	94.33	102.73
V2158	4326			152.41	169.35	
V2158		4222		194.91	216.56	
V2244-75	1266			213.54	237.26	
V2244-00	6129			213.54	237.26	

V2250	6112			198.34	220.38	
V2527-70	4701			615.39	683.76	
453C (SS142534)			453C	1119.69	1244.10	1354.82
SB500		9816		72.68	80.76	
V2906	7216	9850		62.06	68.96	
V2908		4108		58.25	64.72	
Cromobolt	6116			268.47	298.30	324.85
047A			047A	20.79	23.10	25.15
143A			143A	124.96	138.84	151.20
146S (V2525-75)	4757		146S	467.37	519.30	565.52
152G (8620)	4548	9225	152G	303.10	336.77	366.75
157C (4320)			157C	684.10	760.11	827.76
157F			157F	525.68	584.09	636.08
157Q			157Q	527.05	585.62	637.74
158Q			158Q	942.63	1047.37	1140.58
159B			159B	750.28	833.64	907.84
159X			159X	764.39	849.32	924.91
215B			215B	34.51	38.34	41.75
234K (16MnCr5)			234K	128.86	143.17	155.92
236F			236F	154.16	171.29	186.53
248D			248D	768.56	853.95	929.95
253A			253A	1075.96	1195.51	1301.91
253F			253F	995.85	1106.51	1204.98
253L	4722		253L	1087.43	1208.25	1315.78
253S			253S	1077.40	1197.12	1303.66
255G			255G	1229.58	1366.20	1487.79
256G			256G	1327.75	1475.28	1606.58
258D			258D	1152.37	1280.42	1394.37
275A			275A	871.34		1054.32
277L			277L (X200)	661.09	734.55	799.92
TS280M-LX		9880		84.07	93.41	101.72
280M			280M	109.29		132.24
280T (19MnVS6)			280T	109.29		132.24
280X (19MnVS6)			280X	85.30		103.22
322D (25CrMo4)			322D	199.78		241.74
322Y			322Y	140.89	156.55	170.48
326C (4140)			326C	200.82		242.99
327A			327A	290.11		351.03
327A	1233		327A	285.36	317.07	345.29
327A	1291		327A	285.36	317.07	345.29
327B			327B	246.64		298.44
355B			355B	711.88		861.38
356D (34CrNiMo6)			356D	671.05		811.98
368.6		9620		264.93		320.56
398Q			398Q	829.82		1004.09
420G			420G	545.41		659.94
495B	6521		495B	675.73		817.63
497Q			497Q (X300)	845.64		1023.23
510N			510N	39.64		47.96
513Y			513Y	105.90	117.66	128.13
520M	2721			52.29	58.10	63.27
S355J2(M)		9864		55.61	61.79	67.29
520-S355J2	2723			51.63	57.37	62.47
528A/E (50CrMo4)			528A/E (X500)	203.57	226.19	246.32
593B			593B	285.90	317.67	345.94
593Q			593Q	285.90	317.67	345.94
594Y			594Y	216.18	240.20	261.57
596Y			596Y	272.15	302.39	329.30
667L			677L/Q/T (X600)	284.25		343.94
803J/N/P (100Cr6)	5621		803 J/N/P	167.17	185.74	202.27
803F/Q (100Cr6)			803F/Q (X800)	170.15		205.89
802F	5620		802F	166.67	185.19	201.67
100Cr6		4268		166.67		201.67
824B (100CrMo7)			824B	274.63		332.30
825B (100CrMo7 3)			825B	308.24		372.97
826B (100CrMo7 4)			826B	372.21		450.37
825T			825T	320.31		387.58
827B			827B	433.89		525.00
837N/R (100CrMn6)			837N/R	196.99		238.36

15MA27	7245			149.15	165.72	180.47
1130	5616			195.73	217.48	
2725	4734			974.90	1083.22	
3350	8312			490.16	544.62	
L435-2				1076.58	1196.20	
1500	7302			610.80	678.67	739.07
Hybrid 55				2748.31	3053.68	3325.46
Hybrid 60				2748.31	3053.68	3325.46
Imanite	6130			556.97	618.86	673.93
IMACRO	8302			474.65	527.39	574.33
S355	2714			65.19	72.44	78.89