

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
352.50	391.67	427

Ovako UK scrap & alloy surcharges

Jul-22

Please note for customers buying in Euros the Q3 exchange rate is £1 = €1.195

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		37.10	41.22	44.89
NV A		8352		15.41	17.12	18.64
525A61/CCr3		9265		170.57	189.53	206.39
525A61/CCr3		4265 VDG		170.57	189.53	206.39
605M36/605A37	5905			121.11	134.57	
635M15/637M17	4712			303.42	337.14	
655M13	4715			923.36	1025.95	
665M17	4801			521.18	579.09	
704A60/CrMo1		4234 VDG		194.60	216.22	235.46
704A60/CrMo1		9234		194.60	216.22	235.46
708M40/708A42	6126	9288 (708M40/708A42)		213.22	236.91	
709M40	6107			248.51	276.12	
722M24	8310			595.98	662.20	
735A51	7402	9282		191.03	212.26	
805H60		9280		292.06	324.52	
817M40	6506	9205		615.07	683.41	
817M40	6510			615.07	683.41	
817M40 + S		4205		624.50	693.89	
826M40	6518			896.98	996.64	
945M38	6201			334.75	371.94	
SAE 1046		8673		85.31	94.79	
4130	6037	9226		278.74	309.71	
4140	6080	9288 (4140)		214.51	238.35	259.56
4140 Ni .2/.25	1272			256.22	284.69	
SAE 4140 Ni .35/.50	6139			313.02	347.80	378.76
4140 Mod (MPS 14)		9240		275.28	305.86	
4140H	6115			205.23	228.04	
4145	6097			202.25	224.72	
4150	6112	9286 (4150)		202.25	224.72	
4340	6514			621.63	690.70	
5160		9261		113.74	126.38	
8620	4542			279.40	310.45	338.08
8620	4548	9225	152G	280.05	311.17	338.86
8620(M)		9253		279.07	310.08	337.68
100Cr6	5621		803 J/N/P	187.71	208.57	227.13
CHAP031		9663		59.66	66.29	72.19
15B35Hm		9667		71.30	79.22	86.27
15B41 MOD		4689 VDG		96.05	106.72	116.22
15B41 MOD	5497			96.05	106.72	116.22
SB24M13B		9643		47.06	52.29	
SB27M12CB		9660		76.25	84.72	92.26
27M12B		9654		46.37	51.52	56.11
SB30M10B		9651		19.13	21.26	23.15
SB30M12CB		9661		83.56	92.84	101.11
SB33M15CB		4679		86.19	95.77	104.29
SB43M14B		4678		108.41	120.45	131.17
SB600		9823		63.71	70.79	77.09
16MnCr5	4316	9218		128.89	143.21	
16MnCr5	4306	9661		128.89	143.21	
17Cr3	5502			104.07	115.63	125.92
17MnV6	7252	9875		61.12	67.92	73.96
18CrNiMo7-6	4761			185.06	205.62	223.92
20MnCr5	4324			161.22	179.13	
20MnCr5	4334			161.22	179.13	
20MnB5+Cr+HH		4642		54.56	60.62	
20NiCrMo2	4532			331.72	368.57	

23MnNiMoCr54So		4209		535.62	595.13	
23MnNiMoCr54		4219		547.76	608.62	
27MnCrB5	5465			73.20	81.33	
31CrMoV9	6140			420.47	467.19	
33MnCrB5/MPS 16		4648 VDG		330.78	367.54	
MPS16		4648		330.78	367.54	
34CrNiMo6	6499	9205		678.71	754.13	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		193.95	215.50	
38MnSiV6	7221			69.97	77.74	
38MnVs6		4873		59.66	66.29	
40CrMo4	6077			221.37	245.97	267.86
42CrMo4	6082	9288 (42CrMo4)		221.35	245.95	
42CrMO4	1252			222.23	246.92	268.89
42CrMo4		4288		197.44	219.38	238.90
42CrMo4 MOD	6103			267.66	297.40	323.87
42CrMoS4+HH		9287		221.35	245.95	267.83
42CD4	1279			197.95	219.94	239.51
42MnV5		9859		167.51	186.12	202.69
49MnVs3		4850		46.70	51.89	56.51
50CrV4		9282		191.03	212.26	231.15
50CrMo4	6136			221.31	245.90	267.78
51CrV4		4282		192.45	213.84	232.87
51CrV4		4254		243.48	270.53	294.61
51CrV4		9212		178.15	197.94	215.56
51CrV4		4292		206.94	229.94	250.40
51CrV4 Type 1		4291		188.35	209.28	227.90
51CrMoV4		9296		251.29	279.21	304.06
52CrMoV4		4283		266.72	296.36	322.73
52CrMoV4		4296		255.99	284.43	309.74
51CrV4m4		4290		206.61	229.56	250.00
251A58		9073		87.26	96.95	105.58
56SiCr7		9072		61.04	67.82	73.85
56SiCr7		9084		90.09	100.10	
56SiCr7 Mod		9071		90.91	101.01	
61SiCr7(32-45 mm)		4077		104.52	116.13	
92506 (320/380)	4540			276.18	306.87	
92520	4738			518.65	576.28	
92520	4739			514.05	571.17	
92523	4741			468.84	520.93	
92506 'A Level'	1280			266.00	295.56	
92523	4743			447.43	497.15	
92245H	5515			169.06	187.85	204.56
3M		9885		176.20	195.78	
3M Issue 19		4885		152.66	169.63	
Ovako 482 (10M)		9857		70.07	77.85	
14M		4857		87.99	97.77	
17M/18M		9858		32.97	36.64	
17M		9891		32.97	36.64	
S460NL		9856		32.97	36.64	
A193 B7	6093			202.25	224.72	
A193 B16	6098			427.77	475.30	
A320 L7	1281			202.25	224.72	
A320 L7	6137			202.25	224.72	
A320 L7	6135			276.33	307.03	
ASTM A 320L	1281			256.22	284.69	310.03
ASTM A 350 LF2	2735			18.62	20.69	22.53
EN11		9262		92.16	102.40	
SMO215(HYTUFF)	4803			689.54	766.15	834.34
TB1398	4740			470.50	522.78	
V2525-75 (146S)	4757		146S	430.15	477.94	520.48
V2142	7256			62.41	69.35	75.52
V2158	4326			164.87	183.19	
V2158		4222		202.23	224.70	
V2244-75	1266			222.66	247.40	
V2244-00	6129			222.66	247.40	
V2250	6112			207.22	230.24	
V2527-70	4701			570.84	634.27	
453C (SS142534)			453C	995.26	1105.85	1204.27
SB500		9816		53.57	59.52	
V2906	7216	9850		45.13	50.15	

V2908		4108		50.47	56.08	
Cromobolt	6116			284.95	316.62	344.79
047A			047A	15.77	17.53	19.08
143A			143A	134.69	149.66	162.98
146S (V2525-75)	4757		146S	430.15	477.94	520.48
152G (8620)	4548	9225	152G	280.05	311.17	338.86
157C (4320)			157C	607.98	675.53	735.65
157F			157F	485.97	539.97	588.02
157Q			157Q	479.42	532.69	580.10
158Q			158Q	841.77	935.30	1018.54
159B			159B	701.32	779.25	848.60
159X			159X	716.22	795.81	866.63
215B			215B	26.76	29.74	32.38
216S			216S	51.44	57.15	62.24
234K (16MnCr5)			234K	138.66	154.07	167.78
236F			236F	167.19	185.77	202.31
248D			248D	713.96	793.28	863.89
253A			253A	964.17	1071.31	1166.65
253F			253F	896.02	995.58	1084.19
253L	4722		253L	973.74	1081.93	1178.22
253S			253S	965.70	1073.00	1168.50
255G			255G	1097.92	1219.91	1328.49
256G			256G	1180.11	1311.23	1427.93
258D			258D	1084.50	1205.00	1312.25
275A			275A	746.34		903.07
277L			277L (X200)	639.48	710.53	773.77
TS280M-LX		9880		61.69	68.55	74.65
280M			280M	91.31		110.49
280T (19MnVS6)			280T	91.31		110.49
280X (19MnVS6)			280X	62.69		75.86
316A			316A	31.13		37.66
322D (25CrMo4)			322D	209.15		253.08
322Y			322Y	141.36	157.06	171.04
326C (4140)			326C	209.22		253.16
327A			327A	290.44		351.43
327A	1233		327A	285.83	317.59	345.86
327A	1291		327A	285.83	317.59	345.86
327B			327B	248.94		301.22
355B			355B	639.29		773.55
356D (34CrNiMo6)			356D	625.48		756.84
368.6		9620		246.31		298.04
398Q			398Q	824.09		997.15
420G			420G	588.12		711.62
495B	6521		495B	641.36		776.04
497Q			497Q (X300)	746.44		903.19
510N			510N	36.92		44.67
513Y			513Y	113.74	126.38	137.62
520M	2721			38.74	43.04	46.88
S355J2(M)		9864		40.86	45.40	49.44
MPS2B ISSUE 2 (S355J2C)		9820		43.78	48.65	52.98
520-S355J2	2723			38.58	42.87	46.68
528A/E (50CrMo4)			528A/E (X500)	213.17	236.86	257.94
593B			593B	268.82	298.69	325.27
593Q			593Q	268.82	298.69	325.27
594Y			594Y	205.55	228.39	248.71
596Y			596Y	264.01	293.34	319.45
667L			677L/Q/T (X600)	278.39		336.85
803J/N/P (100Cr6)	5621		803 J/N/P	187.71	208.57	227.13
803F/Q (100Cr6)			803F/Q (X800)	191.03		231.15
802F	5620		802F	187.40	208.22	226.75
100Cr6		4268		187.40		226.75
824B (100CrMo7)			824B	297.78		360.31
825B (100CrMo7 3)			825B	329.25		398.39
826B (100CrMo7 4)			826B	391.01		473.12
825T			825T	340.02		411.42
827B			827B	450.40		544.99
837N/R (100CrMn6)			837N/R	212.42		257.03
15MA27	7245			117.91	131.01	142.67
1130	5616			205.73	228.59	
2725	4734			880.57	978.41	
3350	8312			534.85	594.28	
L435-2				965.04	1072.26	

1500	7302			542.46	602.73	656.37
Hybrid 55				2484.28	2760.31	3005.98
Hybrid 60				2484.28	2760.31	3005.98
Imanite	6130			525.86	584.29	636.29
IMACRO	8302			535.63	595.15	648.12
S355	2714			47.99	53.32	58.07