

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
327.50	363.89	396

Ovako UK scrap & alloy surcharges

Aug-22 Please note for customers buying in Euros the Q3 exchange rate is £1 = €1.195

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		31.84	35.38	38.52
NV A		8352		11.38	12.64	13.77
525A61/CCr3		9265		160.45	178.28	194.15
525A61/CCr3		4265 VDG		160.45	178.28	194.15
605M36/605A37	5905			112.08	124.53	
635M15/637M17	4712			257.10	285.67	
655M13	4715			768.77	854.19	
665M17	4801			439.72	488.57	
704A60/CrMo1		4234 VDG		184.18	204.64	222.85
704A60/CrMo1		9234		184.18	204.64	222.85
708M40/708A42	6126	9288 (708M40/708A42)		202.54	225.05	
709M40	6107			237.21	263.57	
722M24	8310			574.20	638.00	
735A51	7402	9282		181.40	201.56	
805H60		9280		256.03	284.48	
817M40	6506	9205		538.54	598.38	
817M40	6510			538.54	598.38	
817M40 + S		4205		547.34	608.16	
826M40	6518			775.56	861.73	
945M38	6201			291.46	323.85	
SAE 1046		8673		73.18	81.31	
4130	6037	9226		246.83	274.26	
4140	6080	9288 (4140)		204.35	227.05	247.26
4140 Ni .2/.25	1272			235.94	262.16	
SAE 4140 Ni .35/.50	6139			283.84	315.37	343.44
4140 Mod (MPS 14)		9240		246.90	274.33	
4140H	6115			194.68	216.31	
4145	6097			191.81	213.12	
4150	6112	9286 (4150)		191.81	213.12	
4340	6514			536.56	596.18	
5160		9261		105.23	116.92	
8620	4542			247.29	274.76	299.22
8620	4548	9225	152G	247.82	275.35	299.86
8620(M)		9253		247.06	274.51	298.94
100Cr6	5621		803 J/N/P	178.31	198.13	215.76
CHAP031		9663		51.65	57.39	62.50
15B35Hm		9667		62.84	69.82	76.04
15B41 MOD		4689 VDG		85.26	94.73	103.16
15B41 MOD	5497			85.26	94.73	103.16
SB24M13B		9643		39.63	44.03	
SB27M12CB		9660		67.98	75.53	82.25
27M12B		9654		39.25	43.61	47.49
SB30M10B		9651		13.98	15.53	16.92
SB30M12CB		9661		74.64	82.93	90.31
SB33M15CB		4679		76.28	84.76	92.30
SB43M14B		4678		91.99	102.21	111.30
SB600		9823		58.14	64.60	70.35
16MnCr5	4316	9218		119.67	132.97	
16MnCr5	4306	9661		119.67	132.97	
17Cr3	5502			97.05	107.83	117.43
17MnV6	7252	9875		53.01	58.90	64.14
18CrNiMo7-6	4761			175.67	195.19	212.56
20MnCr5	4324			149.41	166.01	
20MnCr5	4334			149.41	166.01	
20MnB5+Cr+HH		4642		47.24	52.49	
20NiCrMo2	4532			283.45	314.95	

23MnNiMoCr54So		4209		478.21	531.34	
23MnNiMoCr54		4219		490.26	544.74	
27MnCrB5	5465			64.90	72.11	
31CrMoV9	6140			404.27	449.19	
33MnCrB5/MPS 16		4648 VDG		275.82	306.47	
MPS16		4648		275.82	306.47	
34CrNiMo6	6499	9205		597.92	664.36	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		179.57	199.52	
38MnSiV6	7221			63.21	70.24	
38MnVs6		4873		52.73	58.59	
40CrMo4	6077			210.75	234.17	255.01
42CrMo4	6082	9288 (42CrMo4)		210.83	234.25	
42CrMO4	1252			211.16	234.62	255.50
42CrMo4		4288		187.37	208.19	226.72
42CrMo4 MOD	6103			256.08	284.53	309.86
42CrMoS4+HH		9287		210.83	234.25	255.10
42CD4	1279			187.46	208.28	226.82
42MnV5		9859		148.59	165.10	179.79
49MnVs3		4850		41.88	46.53	50.68
50CrV4		9282		181.40	201.56	219.50
50CrMo4	6136			210.97	234.42	255.28
51CrV4		4282		183.88	204.31	222.49
51CrV4		4254		231.52	257.24	280.13
51CrV4		9212		168.56	187.29	203.96
51CrV4		4292		195.78	217.54	236.90
51CrV4 Type 1		4291		178.09	197.87	215.49
51CrMoV4		9296		240.20	266.89	290.64
52CrMoV4		4283		255.01	283.34	308.56
52CrMoV4		4296		244.59	271.77	295.96
51CrV4m4		4290		195.55	217.28	236.62
251A58		9073		73.95	82.17	89.48
56SiCr7		9072		48.55	53.95	58.75
56SiCr7		9084		78.31	87.01	
56SiCr7 Mod		9071		77.28	85.87	
61SiCr7(32-45 mm)		4077		90.69	100.77	
92506 (320/380)	4540			244.63	271.81	
92520	4738			451.28	501.43	
92520	4739			444.93	494.37	
92523	4741			405.95	451.05	
92506 'A Level'	1280			238.07	264.53	
92523	4743			388.37	431.53	
92245H	5515			159.35	177.06	192.82
3M		9885		167.34	185.94	
3M Issue 19		4885		144.05	160.05	
Ovako 482 (10M)		9857		62.78	69.76	
14M		4857		80.02	88.91	
17M/18M		9858		33.00	36.66	
17M		9891		33.00	36.66	
S460NL		9856		33.00	36.66	
A193 B7	6093			191.81	213.12	
A193 B16	6098			416.23	462.47	
A320 L7	1281			191.81	213.12	
A320 L7	6137			191.81	213.12	
A320 L7	6135			255.64	284.05	
ASTM A 320L	1281			235.94	262.16	285.49
ASTM A 350 LF2	2735			13.56	15.06	16.40
EN11		9262		85.41	94.90	
SMO215(HYTUFF)	4803			591.51	657.23	715.72
TB1398	4740			407.09	452.32	
V2525-75 (146S)	4757		146S	372.86	414.29	451.16
V2142	7256			54.07	60.08	65.42
V2158	4326			152.74	169.71	
V2158		4222		183.38	203.76	
V2244-75	1266			211.81	235.35	
V2244-00	6129			211.81	235.35	
V2250	6112			196.87	218.74	
V2527-70	4701			492.55	547.27	
453C (SS142534)			453C	846.00	940.00	1023.66
SB500		9816		47.58	52.86	
V2906	7216	9850		40.31	44.79	

V2908		4108		41.47	46.08	
Cromobolt	6116			271.89	302.10	328.99
047A			047A	11.77	13.08	14.25
143A			143A	124.45	138.28	150.58
146S (V2525-75)	4757		146S	372.86	414.29	451.16
152G (8620)	4548	9225	152G	247.82	275.35	299.86
157C (4320)			157C	520.35	578.17	629.63
157F			157F	436.72	485.24	528.43
157Q			157Q	408.71	454.12	494.54
158Q			158Q	734.07	815.64	888.23
159B			159B	618.31	687.01	748.15
159X			159X	632.66	702.95	765.52
215B			215B	19.38	21.53	23.45
216S			216S	43.58	48.42	52.73
234K (16MnCr5)			234K	128.08	142.31	154.98
236F			236F	155.15	172.39	187.74
248D			248D	616.44	684.93	745.89
253A			253A	823.44	914.94	996.37
253F			253F	767.67	852.97	928.88
253L	4722		253L	831.06	923.40	1005.58
253S			253S	824.82	916.47	998.03
255G			255G	933.32	1037.02	1129.32
256G			256G	1004.08	1115.64	1214.93
258D			258D	980.46	1089.40	1186.36
275A			275A	649.45		785.84
277L			277L (X200)	598.96	665.51	724.74
TS280M-LX		9880		53.89	59.88	65.21
280M			280M	82.04		99.27
280T (19MnVS6)			280T	82.04		99.27
280X (19MnVS6)			280X	54.58		66.04
316A			316A	22.27		26.95
322D (25CrMo4)			322D	199.86		241.83
322Y			322Y	132.42	147.13	160.23
326C (4140)			326C	198.24		239.87
327A			327A	269.67		326.30
327A	1233		327A	264.86	294.28	320.48
327A	1291		327A	264.86	294.28	320.48
327B			327B	232.93		281.84
355B			355B	549.70		665.14
356D (34CrNiMo6)			356D	549.64		665.06
368.6		9620		215.31		260.52
398Q			398Q	800.81		968.98
420G			420G	566.36		685.30
495B	6521		495B	605.37		732.49
497Q			497Q (X300)	649.79		786.25
510N			510N	31.46		38.06
513Y			513Y	105.23	116.92	127.33
520M	2721			32.86	36.51	39.76
S355J2(M)		9864		35.39	39.33	42.83
MPS2B ISSUE 2 (S355J2C)		9820		37.80	42.01	45.74
520-S355J2	2723			31.85	35.39	38.54
528A/E (50CrMo4)			528A/E (X500)	202.69	225.21	245.25
593B			593B	249.66	277.40	302.09
593Q			593Q	249.66	277.40	302.09
594Y			594Y	195.39	217.10	236.42
596Y			596Y	254.03	282.25	307.37
667L			677L/Q/T (X600)	258.70		313.03
803J/N/P (100Cr6)	5621		803 J/N/P	178.31	198.13	215.76
803F/Q (100Cr6)			803F/Q (X800)	181.41		219.51
802F	5620		802F	178.01	197.79	215.39
100Cr6		4268		178.01		215.39
824B (100CrMo7)			824B	285.53		345.49
825B (100CrMo7 3)			825B	314.96		381.10
826B (100CrMo7 4)			826B	375.63		454.51
825T			825T	325.02		393.28
827B			827B	431.65		522.29
837N/R (100CrMn6)			837N/R	198.03		239.62
15MA27	7245			107.96	119.95	130.63
1130	5616			197.57	219.52	
2725	4734			755.52	839.47	
3350	8312			514.13	571.26	
L435-2				824.36	915.96	

1500	7302			482.58	536.20	583.93
Hybrid 55				2186.36	2429.29	2645.50
Hybrid 60				2186.36	2429.29	2645.50
Imanite	6130			511.55	568.39	618.98
IMACRO	8302			511.05	567.83	618.37
S355	2714			41.68	46.31	50.43