

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
337.50	375.00	408

Ovako UK scrap & alloy surcharges

Sep-22

Please note for customers buying in Euros the Q3 exchange rate is £1 = €1.195

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		27.99	31.10	33.86
NV A		8352		10.45	11.62	12.65
525A61/CCr3		9265		140.37	155.96	169.84
525A61/CCr3		4265 VDG		140.37	155.96	169.84
605M36/605A37	5905			94.96	105.51	
635M15/637M17	4712			245.90	273.22	
655M13	4715			748.30	831.45	
665M17	4801			420.25	466.95	
704A60/CrMo1		4234 VDG		159.89	177.66	193.47
704A60/CrMo1		9234		159.89	177.66	193.47
708M40/708A42	6126	9288 (708M40/708A42)		176.05	195.61	
709M40	6107			205.00	227.77	
722M24	8310			498.62	554.02	
735A51	7402	9282		160.10	177.89	
805H60		9280		234.65	260.72	
817M40	6506	9205		502.21	558.01	
817M40	6510			502.21	558.01	
817M40 + S		4205		510.42	567.13	
826M40	6518			728.24	809.16	
945M38	6201			269.91	299.90	
SAE 1046		8673		68.15	75.72	
4130	6037	9226		226.36	251.51	
4140	6080	9288 (4140)		177.66	197.40	214.97
4140 Ni .2/.25	1272			210.17	233.52	
SAE 4140 Ni .35/.50	6139			256.13	284.59	309.92
4140 Mod (MPS 14)		9240		226.26	251.40	
4140H	6115			169.14	187.93	
4145	6097			166.60	185.11	
4150	6112	9286 (4150)		166.60	185.11	
4340	6514			507.03	563.37	
5160		9261		93.47	103.86	
8620	4542			226.77	251.96	274.39
8620	4548	9225	152G	227.27	252.52	274.99
8620(M)		9253		226.56	251.73	274.14
100Cr6	5621		803 J/N/P	158.04	175.60	191.23
CHAP031		9663		46.16	51.28	55.85
15B35Hm		9667		56.02	62.24	67.78
15B41 MOD		4689 VDG		75.94	84.38	91.89
15B41 MOD	5497			75.94	84.38	91.89
SB24M13B		9643		35.49	39.44	
SB27M12CB		9660		60.58	67.31	73.30
27M12B		9654		35.18	39.08	42.56
SB30M10B		9651		12.81	14.23	15.49
SB30M12CB		9661		66.48	73.86	80.43
SB33M15CB		4679		68.02	75.58	82.30
SB43M14B		4678		84.17	93.52	101.84
SB600		9823		51.26	56.96	62.02
16MnCr5	4316	9218		105.95	117.72	
16MnCr5	4306	9661		105.95	117.72	
17Cr3	5502			86.23	95.81	104.33
17MnV6	7252	9875		47.02	52.24	56.89
18CrNiMo7-6	4761			155.71	173.01	188.40
20MnCr5	4324			132.61	147.34	
20MnCr5	4334			132.61	147.34	
20MnB5+Cr+HH		4642		42.21	46.90	
20NiCrMo2	4532			269.13	299.03	

23MnNiMoCr54So		4209		434.22	482.47	
23MnNiMoCr54		4219		444.33	493.70	
27MnCrB5	5465			57.86	64.28	
31CrMoV9	6140			353.30	392.55	
33MnCrB5/MPS 16		4648 VDG		265.63	295.14	
MPS16		4648		265.63	295.14	
34CrNiMo6	6499	9205		555.30	617.00	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		159.94	177.71	
38MnSiV6	7221			55.86	62.07	
38MnVs6		4873		46.60	51.78	
40CrMo4	6077			182.88	203.20	221.28
42CrMo4	6082	9288 (42CrMo4)		182.97	203.30	
42CrMO4	1252			183.67	204.08	222.24
42CrMo4		4288		163.03	181.14	197.27
42CrMo4 MOD	6103			221.18	245.76	267.63
42CrMoS4+HH		9287		182.97	203.30	221.39
42CD4	1279			163.29	181.43	197.58
42MnV5		9859		135.85	150.94	164.38
49MnVs3		4850		37.05	41.16	44.83
50CrV4		9282		160.10	177.89	193.72
50CrMo4	6136			183.15	203.50	221.61
51CrV4		4282		161.81	179.79	195.79
51CrV4		4254		202.85	225.39	245.44
51CrV4		9212		148.85	165.39	180.11
51CrV4		4292		172.90	192.11	209.21
51CrV4 Type 1		4291		157.25	174.72	190.27
51CrMoV4		9296		208.85	232.05	252.70
52CrMoV4		4283		222.23	246.92	268.90
52CrMoV4		4296		213.00	236.66	257.73
51CrV4m4		4290		172.70	191.89	208.96
251A58		9073		67.94	75.49	82.21
56SiCr7		9072		45.49	50.55	55.05
56SiCr7		9084		71.45	79.39	
56SiCr7 Mod		9071		70.89	78.77	
61SiCr7(32-45 mm)		4077		82.45	91.61	
92506 (320/380)	4540			224.26	249.18	
92520	4738			422.92	469.91	
92520	4739			418.60	465.11	
92523	4741			381.60	424.00	
92506 'A Level'	1280			216.08	240.09	
92523	4743			364.22	404.69	
92245H	5515			140.05	155.62	169.47
3M		9885		147.06	163.40	
3M Issue 19		4885		127.29	141.44	
Ovako 482 (10M)		9857		55.52	61.69	
14M		4857		70.76	78.63	
17M/18M		9858		28.65	31.84	
17M		9891		28.65	31.84	
S460NL		9856		28.65	31.84	
A193 B7	6093			166.60	185.11	
A193 B16	6098			357.08	396.76	
A320 L7	1281			166.60	185.11	
A320 L7	6137			166.60	185.11	
A320 L7	6135			227.15	252.39	
ASTM A 320L	1281			210.17	233.52	254.30
ASTM A 350 LF2	2735			12.40	13.78	15.01
EN11		9262		75.88	84.32	
SMO215(HYTUFF)	4803			555.39	617.10	672.02
TB1398	4740			382.62	425.14	
V2525-75 (146S)	4757		146S	350.01	388.90	423.51
V2142	7256			48.02	53.36	58.11
V2158	4326			135.56	150.62	
V2158		4222		166.32	184.80	
V2244-75	1266			183.88	204.31	
V2244-00	6129			183.88	204.31	
V2250	6112			171.06	190.07	
V2527-70	4701			467.24	519.15	
453C (SS142534)			453C	808.96	898.85	978.85
SB500		9816		41.70	46.34	
V2906	7216	9850		35.68	39.65	

V2908		4108		37.55	41.72	
Cromobolt	6116			236.54	262.82	286.21
047A			047A	10.85	12.05	13.12
143A			143A	110.46	122.74	133.66
146S (V2525-75)	4757		146S	350.01	388.90	423.51
152G (8620)	4548	9225	152G	227.27	252.52	274.99
157C (4320)			157C	493.02	547.79	596.55
157F			157F	395.34	439.27	478.36
157Q			157Q	390.15	433.50	472.08
158Q			158Q	683.87	759.86	827.48
159B			159B	574.32	638.14	694.93
159X			159X	586.79	651.98	710.01
215B			215B	17.70	19.67	21.42
216S			216S	39.20	43.56	47.43
234K (16MnCr5)			234K	113.71	126.34	137.59
236F			236F	137.69	152.99	166.60
248D			248D	584.83	649.81	707.65
253A			253A	784.04	871.16	948.69
253F			253F	729.77	810.86	883.03
253L	4722		253L	791.86	879.85	958.16
253S			253S	785.26	872.51	950.17
255G			255G	892.97	992.19	1080.50
256G			256G	958.47	1064.97	1159.75
258D			258D	888.75	987.49	1075.38
275A			275A	605.13		732.20
277L			277L (X200)	530.30	589.22	641.66
TS280M-LX		9880		47.77	53.08	57.80
280M			280M	72.72		87.99
280T (19MnVS6)			280T	72.72		87.99
280X (19MnVS6)			280X	48.38		58.54
316A			316A	20.28		24.53
322D (25CrMo4)			322D	173.45		209.87
322Y			322Y	114.48	127.20	138.53
326C (4140)			326C	172.29		208.47
327A			327A	239.15		289.37
327A	1233		327A	235.13	261.25	284.50
327A	1291		327A	235.13	261.25	284.50
327B			327B	205.07		248.13
355B			355B	519.17		628.19
356D (34CrNiMo6)			356D	511.42		618.82
368.6		9620		199.31		241.17
398Q			398Q	689.80		834.65
420G			420G	492.18		595.54
495B	6521		495B	527.97		638.85
497Q			497Q (X300)	606.83		734.27
510N			510N	28.24		34.17
513Y			513Y	93.47	103.86	113.10
520M	2721			29.25	32.50	35.39
S355J2(M)		9864		31.45	34.95	38.06
MPS2B ISSUE 2 (S355J2C)		9820		33.55	37.27	40.59
520-S355J2	2723			28.46	31.62	34.43
528A/E (50CrMo4)			528A/E (X500)	176.23	195.82	213.24
593B			593B	223.19	247.99	270.06
593Q			593Q	223.19	247.99	270.06
594Y			594Y	172.32	191.47	208.51
596Y			596Y	220.12	244.57	266.34
667L			677L/Q/T (X600)	226.60		274.19
803J/N/P (100Cr6)	5621		803 J/N/P	158.04	175.60	191.23
803F/Q (100Cr6)			803F/Q (X800)	160.79		194.55
802F	5620		802F	157.75	175.27	190.87
100Cr6		4268		157.75		190.87
824B (100CrMo7)			824B	249.45		301.84
825B (100CrMo7 3)			825B	274.23		331.82
826B (100CrMo7 4)			826B	324.89		393.11
825T			825T	282.80		342.19
827B			827B	373.00		451.33
837N/R (100CrMn6)			837N/R	176.00		212.96
15MA27	7245			95.03	105.59	114.98
1130	5616			171.16	190.18	
2725	4734			716.96	796.62	
3350	8312			448.56	498.40	
L435-2				784.85	872.06	

1500	7302			442.79	491.99	535.78
Hybrid 55				2041.94	2268.82	2470.75
Hybrid 60				2041.94	2268.82	2470.75
Imanite	6130			438.80	487.56	530.95
IMACRO	8302			450.90	501.00	545.59
S355	2714			36.93	41.03	44.69