

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
327.50	363.89	396

Ovako UK scrap & alloy surcharges

Oct-22 Please note for customers buying in Euros the Q4 exchange rate is £1 = €1.173

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		26.99	29.99	32.66
NV A		8352		9.93	11.03	12.01
525A61/CCr3		9265		141.78	157.53	171.55
525A61/CCr3		4265 VDG		141.78	157.53	171.55
605M36/605A37	5905			107.99	119.98	
635M15/637M17	4712			252.05	280.06	
655M13	4715			778.68	865.20	
665M17	4801			450.35	500.39	
704A60/CrMo1		4234 VDG		165.85	184.28	200.68
704A60/CrMo1		9234		165.85	184.28	200.68
708M40/708A42	6126	9288 (708M40/708A42)		181.38	201.53	
709M40	6107			215.43	239.36	
722M24	8310			512.84	569.82	
735A51	7402	9282		153.75	170.83	
805H60		9280		247.50	275.00	
817M40	6506	9205		526.02	584.47	
817M40	6510			526.02	584.47	
817M40 + S		4205		532.33	591.47	
826M40	6518			779.10	865.67	
945M38	6201			284.96	316.62	
SAE 1046		8673		67.98	75.54	
4130	6037	9226		239.54	266.15	
4140	6080	9288 (4140)		182.90	203.22	221.31
4140 Ni .2/.25	1272			218.15	242.39	
SAE 4140 Ni .35/.50	6139			267.43	297.14	323.59
4140 Mod (MPS 14)		9240		226.23	251.36	
4140H	6115			174.73	194.15	
4145	6097			172.30	191.44	
4150	6112	9286 (4150)		172.30	191.44	
4340	6514			535.06	594.51	
5160		9261		89.58	99.53	
8620	4542			239.93	266.59	290.32
8620	4548	9225	152G	240.40	267.11	290.89
8620(M)		9253		239.74	266.37	290.08
100Cr6	5621		803 J/N/P	151.50	168.34	183.32
CHAP031		9663		44.19	49.10	53.47
15B35Hm		9667		53.67	59.63	64.93
15B41 MOD		4689 VDG		72.76	80.85	88.04
15B41 MOD	5497			72.76	80.85	88.04
SB24M13B		9643		33.97	37.75	
SB27M12CB		9660		58.02	64.47	70.21
27M12B		9654		33.65	37.39	40.72
SB30M10B		9651		12.18	13.54	14.74
SB30M12CB		9661		63.68	70.76	77.06
SB33M15CB		4679		65.15	72.38	78.83
SB43M14B		4678		90.54	100.61	109.56
SB600		9823		49.81	55.34	60.27
16MnCr5	4316	9218		101.68	112.98	
16MnCr5	4306	9661		101.68	112.98	
17Cr3	5502			82.61	91.78	99.95
17MnV6	7252	9875		45.15	50.16	54.63
18CrNiMo7-6	4761			149.26	165.85	180.61
20MnCr5	4324			127.12	141.25	
20MnCr5	4334			127.12	141.25	
20MnB5+Cr+HH		4642		40.41	44.91	
20NiCrMo2	4532			273.73	304.15	

23MnNiMoCr54So		4209		470.80	523.11	
23MnNiMoCr54		4219		482.40	536.00	
27MnCrB5	5465			55.41	61.57	
31CrMoV9	6140			353.51	392.79	
33MnCrB5/MPS 16		4648 VDG		273.67	304.08	
MPS16		4648		273.67	304.08	
34CrNiMo6	6499	9205		579.43	643.81	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		159.58	177.31	
38MnSiV6	7221			53.66	59.63	
38MnVs6		4873		44.80	49.77	
40CrMo4	6077			189.50	210.55	229.29
42CrMo4	6082	9288 (42CrMo4)		189.57	210.63	
42CrMO4	1252			188.97	209.96	228.65
42CrMo4		4288		167.33	185.92	202.46
42CrMo4 MOD	6103			232.55	258.39	281.39
42CrMoS4+HH		9287		189.57	210.63	229.38
42CD4	1279			167.23	185.81	202.34
42MnV5		9859		134.49	149.44	162.74
49MnVs3		4850		35.58	39.53	43.05
50CrV4		9282		153.75	170.83	186.03
50CrMo4	6136			189.72	210.80	229.56
51CrV4		4282		155.57	172.86	188.24
51CrV4		4254		200.72	223.02	242.87
51CrV4		9212		142.92	158.80	172.94
51CrV4		4292		166.01	184.46	200.87
51CrV4 Type 1		4291		150.99	167.77	182.70
51CrMoV4		9296		213.02	236.68	257.75
52CrMoV4		4283		224.34	249.26	271.45
52CrMoV4		4296		215.49	239.43	260.74
51CrV4m4		4290		165.81	184.24	200.63
251A58		9073		64.26	71.41	77.76
56SiCr7		9072		42.73	47.47	51.70
56SiCr7		9084		67.75	75.27	
56SiCr7 Mod		9071		67.10	74.55	
61SiCr7(32-45 mm)		4077		78.31	87.01	
92506 (320/380)	4540			237.59	263.99	
92520	4738			439.44	488.26	
92520	4739			435.24	483.60	
92523	4741			395.17	439.08	
92506 'A Level'	1280			229.77	255.30	
92523	4743			376.07	417.86	
92245H	5515			138.96	154.41	168.15
3M		9885		143.72	159.69	
3M Issue 19		4885		122.19	135.77	
Ovako 482 (10M)		9857		53.33	59.26	
14M		4857		67.96	75.51	
17M/18M		9858		27.67	30.75	
17M		9891		27.67	30.75	
S460NL		9856		27.67	30.75	
A193 B7	6093			172.30	191.44	
A193 B16	6098			379.11	421.23	
A320 L7	1281			172.30	191.44	
A320 L7	6137			172.30	191.44	
A320 L7	6135			236.02	262.24	
ASTM A 320L	1281			218.15	242.39	263.96
ASTM A 350 LF2	2735			11.81	13.12	14.29
EN11		9262		72.71	80.79	
SMO215(HYTUFF)	4803			591.84	657.60	716.13
TB1398	4740			396.15	440.17	
V2525-75 (146S)	4757		146S	363.46	403.84	439.79
V2142	7256			46.08	51.20	55.76
V2158	4326			129.95	144.39	
V2158		4222		163.20	181.34	
V2244-75	1266			190.43	211.59	
V2244-00	6129			190.43	211.59	
V2250	6112			176.58	196.20	
V2527-70	4701			476.10	529.00	
453C (SS142534)			453C	848.78	943.09	1027.03
SB500		9816		40.23	44.70	
V2906	7216	9850		34.26	38.07	

V2908		4108		35.78	39.76	
Cromobolt	6116			242.54	269.49	293.47
047A			047A	10.28	11.43	12.44
143A			143A	105.90	117.66	128.14
146S (V2525-75)	4757		146S	363.46	403.84	439.79
152G (8620)	4548	9225	152G	240.40	267.11	290.89
157C (4320)			157C	521.81	579.79	631.39
157F			157F	427.91	475.46	517.77
157Q			157Q	399.43	443.81	483.31
158Q			158Q	740.61	822.89	896.13
159B			159B	598.58	665.09	724.28
159X			159X	611.47	679.41	739.88
215B			215B	16.87	18.74	20.41
216S			216S	37.44	41.60	45.30
234K (16MnCr5)			234K	109.00	121.11	131.89
236F			236F	131.99	146.66	159.71
248D			248D	596.15	662.39	721.34
253A			253A	820.36	911.51	992.64
253F			253F	763.17	847.96	923.43
253L	4722		253L	828.45	920.50	1002.43
253S			253S	821.53	912.81	994.05
255G			255G	932.27	1035.86	1128.05
256G			256G	1007.48	1119.42	1219.05
258D			258D	953.66	1059.63	1153.93
275A			275A	639.45		773.74
277L			277L (X200)	549.57	610.63	664.98
TS280M-LX		9880		45.87	50.97	55.50
280M			280M	69.79		84.44
280T (19MnVS6)			280T	69.79		84.44
280X (19MnVS6)			280X	46.46		56.22
316A			316A	19.36		23.42
322D (25CrMo4)			322D	179.79		217.54
322Y			322Y	120.75	134.17	146.11
326C (4140)			326C	177.76		215.09
327A			327A	249.08		301.39
327A	1233		327A	244.30	271.44	295.60
327A	1291		327A	244.30	271.44	295.60
327B			327B	214.24		259.23
355B			355B	546.68		661.49
356D (34CrNiMo6)			356D	532.40		644.20
368.6		9620		206.11		249.39
398Q			398Q	725.03		877.28
420G			420G	505.06		611.13
495B	6521		495B	575.63		696.52
497Q			497Q (X300)	638.00		771.97
510N			510N	26.99		32.66
513Y			513Y	89.58	99.53	108.39
520M	2721			28.06	31.18	33.95
S355J2(M)		9864		30.18	33.53	36.51
MPS2B ISSUE 2 (S355J2C)		9820		32.21	35.79	38.97
520-S355J2	2723			27.27	30.30	33.00
528A/E (50CrMo4)			528A/E (X500)	181.53	201.70	219.65
593B			593B	222.61	247.34	269.35
593Q			593Q	222.61	247.34	269.35
594Y			594Y	165.53	183.92	200.29
596Y			596Y	225.59	250.66	272.97
667L			677L/Q/T (X600)	232.38		281.19
803J/N/P (100Cr6)	5621		803 J/N/P	151.50	168.34	183.32
803F/Q (100Cr6)			803F/Q (X800)	154.14		186.51
802F	5620		802F	151.23	168.04	182.99
100Cr6		4268		151.23		182.99
824B (100CrMo7)			824B	251.75		304.62
825B (100CrMo7 3)			825B	280.25		339.10
826B (100CrMo7 4)			826B	339.83		411.20
825T			825T	290.00		350.90
827B			827B	392.18		474.54
837N/R (100CrMn6)			837N/R	168.59		203.99
15MA27	7245			93.38	103.75	112.99
1130	5616			178.24	198.04	
2725	4734			750.19	833.54	
3350	8312			453.79	504.21	
L435-2				821.14	912.38	

1500	7302			462.74	514.15	559.91
Hybrid 55				2111.33	2345.92	2554.71
Hybrid 60				2111.33	2345.92	2554.71
Imanite	6130			466.93	518.82	564.99
IMACRO	8302			437.54	486.15	529.42
S355	2714			35.47	39.42	42.92