

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
337.50	375.00	408

Ovako UK scrap & alloy surcharges

Nov-22 Please note for customers buying in Euros the Q4 exchange rate is £1 = €1.173

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		28.17	31.30	34.08
NV A		8352		9.60	10.67	11.62
525A61/CCr3		9265		146.16	162.40	176.86
525A61/CCr3		4265 VDG		146.16	162.40	176.86
605M36/605A37	5905			129.02	143.36	
635M15/637M17	4712			258.99	287.77	
655M13	4715			812.22	902.47	
665M17	4801			489.53	543.92	
704A60/CrMo1		4234 VDG		177.22	196.91	214.43
704A60/CrMo1		9234		177.22	196.91	214.43
708M40/708A42	6126	9288 (708M40/708A42)		191.98	213.32	
709M40	6107			233.98	259.97	
722M24	8310			540.91	601.01	
735A51	7402	9282		151.48	168.31	
805H60		9280		266.71	296.35	
817M40	6506	9205		558.67	620.75	
817M40	6510			558.67	620.75	
817M40 + S		4205		562.28	624.76	
826M40	6518			848.01	942.24	
945M38	6201			306.50	340.55	
SAE 1046		8673		68.02	75.58	
4130	6037	9226		258.89	287.65	
4140	6080	9288 (4140)		193.39	214.87	234.00
4140 Ni .2/.25	1272			231.72	257.47	
SAE 4140 Ni .35/.50	6139			285.23	316.92	345.12
4140 Mod (MPS 14)		9240		227.04	252.27	
4140H	6115			185.66	206.29	
4145	6097			183.34	203.72	
4150	6112	9286 (4150)		183.34	203.72	
4340	6514			571.61	635.12	
5160		9261		85.44	94.94	
8620	4542			259.28	288.08	313.72
8620	4548	9225	152G	259.72	288.58	314.26
8620(M)		9253		259.08	287.87	313.49
100Cr6	5621		803 J/N/P	144.23	160.26	174.52
CHAP031		9663		42.36	47.07	51.26
15B35Hm		9667		51.39	57.10	62.18
15B41 MOD		4689 VDG		69.64	77.38	84.27
15B41 MOD	5497			69.64	77.38	84.27
SB24M13B		9643		32.64	36.27	
SB27M12CB		9660		55.50	61.67	67.16
27M12B		9654		32.31	35.90	39.09
SB30M10B		9651		11.81	13.12	14.29
SB30M12CB		9661		60.92	67.68	73.71
SB33M15CB		4679		62.35	69.28	75.44
SB43M14B		4678		100.30	111.45	121.37
SB600		9823		52.75	58.61	63.83
16MnCr5	4316	9218		97.07	107.85	
16MnCr5	4306	9661		97.07	107.85	
17Cr3	5502			78.72	87.47	95.26
17MnV6	7252	9875		46.64	51.82	56.43
18CrNiMo7-6	4761			142.11	157.90	171.95
20MnCr5	4324			121.27	134.75	
20MnCr5	4334			121.27	134.75	
20MnB5+Cr+HH		4642		38.75	43.05	
20NiCrMo2	4532			279.10	310.11	

23MnNiMoCr54So		4209		524.61	582.90	
23MnNiMoCr54		4219		538.72	598.58	
27MnCrB5	5465			53.03	58.92	
31CrMoV9	6140			362.59	402.87	
33MnCrB5/MPS 16		4648 VDG		282.88	314.31	
MPS16		4648		282.88	314.31	
34CrNiMo6	6499	9205		612.97	681.08	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		160.90	178.77	
38MnSiV6	7221			55.97	62.19	
38MnVs6		4873		46.59	51.77	
40CrMo4	6077			202.09	224.55	244.53
42CrMo4	6082	9288 (42CrMo4)		202.15	224.61	
42CrMO4	1252			199.66	221.85	241.59
42CrMo4		4288		176.21	195.79	213.21
42CrMo4 MOD	6103			252.67	280.75	305.73
42CrMoS4+HH		9287		202.15	224.61	244.60
42CD4	1279			175.63	195.15	212.52
42MnV5		9859		138.19	153.54	167.20
49MnVs3		4850		37.03	41.15	44.81
50CrV4		9282		151.48	168.31	183.29
50CrMo4	6136			202.26	224.73	244.73
51CrV4		4282		154.09	171.21	186.45
51CrV4		4254		205.35	228.17	248.47
51CrV4		9212		140.36	155.96	169.84
51CrV4		4292		163.19	181.33	197.46
51CrV4 Type 1		4291		148.89	165.43	180.16
51CrMoV4		9296		225.91	251.01	273.35
52CrMoV4		4283		235.46	261.62	284.90
52CrMoV4		4296		227.05	252.28	274.74
51CrV4m4		4290		163.00	181.11	197.23
251A58		9073		61.15	67.94	73.99
56SiCr7		9072		40.66	45.18	49.20
56SiCr7		9084		64.44	71.60	
56SiCr7 Mod		9071		63.85	70.95	
61SiCr7(32-45 mm)		4077		74.59	82.88	
92506 (320/380)	4540			257.06	285.62	
92520	4738			461.56	512.84	
92520	4739			457.18	507.98	
92523	4741			413.05	458.94	
92506 'A Level'	1280			250.37	278.19	
92523	4743			391.84	435.37	
92245H	5515			139.60	155.11	168.92
3M		9885		145.27	161.41	
3M Issue 19		4885		119.95	133.28	
Ovako 482 (10M)		9857		55.52	61.69	
14M		4857		69.44	77.15	
17M/18M		9858		29.81	33.13	
17M		9891		29.81	33.13	
S460NL		9856		29.81	33.13	
A193 B7	6093			183.34	203.72	
A193 B16	6098			425.98	473.31	
A320 L7	1281			183.34	203.72	
A320 L7	6137			183.34	203.72	
A320 L7	6135			251.11	279.01	
ASTM A 320L	1281			231.72	257.47	280.39
ASTM A 350 LF2	2735			11.46	12.73	13.86
EN11		9262		69.34	77.04	
SMO215(HYTUFF)	4803			642.65	714.05	777.60
TB1398	4740			414.02	460.02	
V2525-75 (146S)	4757		146S	381.27	423.63	461.34
V2142	7256			47.52	52.81	57.50
V2158	4326			123.98	137.75	
V2158		4222		159.82	177.58	
V2244-75	1266			202.98	225.53	
V2244-00	6129			202.98	225.53	
V2250	6112			187.40	208.22	
V2527-70	4701			485.83	539.81	
453C (SS142534)			453C	898.24	998.04	1086.87
SB500		9816		42.30	47.01	
V2906	7216	9850		35.61	39.57	

V2908		4108		34.35	38.16	
Cromobolt	6116			254.98	283.31	308.52
047A			047A	9.92	11.03	12.01
143A			143A	101.05	112.28	122.28
146S (V2525-75)	4757		146S	381.27	423.63	461.34
152G (8620)	4548	9225	152G	259.72	288.58	314.26
157C (4320)			157C	559.61	621.79	677.12
157F			157F	476.18	529.09	576.18
157Q			157Q	409.77	455.30	495.83
158Q			158Q	819.00	910.00	990.99
159B			159B	632.23	702.47	764.99
159X			159X	645.92	717.69	781.57
215B			215B	16.39	18.21	19.83
216S			216S	35.89	39.88	43.43
234K (16MnCr5)			234K	104.01	115.57	125.85
236F			236F	125.91	139.90	152.35
248D			248D	608.51	676.12	736.29
253A			253A	866.00	962.23	1047.86
253F			253F	805.27	894.75	974.38
253L	4722		253L	874.27	971.41	1057.86
253S			253S	867.12	963.47	1049.22
255G			255G	980.22	1089.13	1186.06
256G			256G	1069.07	1187.86	1293.58
258D			258D	1049.42	1166.02	1269.80
275A			275A	694.06		839.81
277L			277L (X200)	588.45	653.83	712.03
TS280M-LX		9880		47.48	52.75	57.45
280M			280M	70.08		84.80
280T (19MnVS6)			280T	70.08		84.80
280X (19MnVS6)			280X	48.06		58.15
316A			316A	18.86		22.82
322D (25CrMo4)			322D	191.81		232.09
322Y			322Y	131.96	146.62	159.67
326C (4140)			326C	188.57		228.16
327A			327A	265.91		321.75
327A	1233		327A	259.95	288.83	314.54
327A	1291		327A	259.95	288.83	314.54
327B			327B	229.99		278.29
355B			355B	582.94		705.36
356D (34CrNiMo6)			356D	561.34		679.22
368.6		9620		216.04		261.41
398Q			398Q	795.92		963.06
420G			420G	531.11		642.64
495B	6521		495B	654.29		791.69
497Q			497Q (X300)	684.20		827.88
510N			510N	25.88		31.31
513Y			513Y	85.44	94.94	103.39
520M	2721			28.79	31.99	34.83
S355J2(M)		9864		31.10	34.55	37.63
MPS2B ISSUE 2 (S355J2C)		9820		33.24	36.93	40.22
520-S355J2	2723			27.75	30.83	33.58
528A/E (50CrMo4)			528A/E (X500)	192.09	213.44	232.43
593B			593B	228.43	253.81	276.40
593Q			593Q	228.43	253.81	276.40
594Y			594Y	163.55	181.72	197.89
596Y			596Y	241.47	268.30	292.18
667L			677L/Q/T (X600)	245.32		296.83
803J/N/P (100Cr6)	5621		803 J/N/P	144.23	160.26	174.52
803F/Q (100Cr6)			803F/Q (X800)	146.75		177.56
802F	5620		802F	143.99	159.98	174.22
100Cr6		4268		143.99		174.22
824B (100CrMo7)			824B	258.81		313.16
825B (100CrMo7 3)			825B	293.22		354.79
826B (100CrMo7 4)			826B	366.71		443.71
825T			825T	304.91		368.94
827B			827B	426.17		515.66
837N/R (100CrMn6)			837N/R	160.65		194.39
15MA27	7245			98.00	108.89	118.58
1130	5616			191.25	212.50	
2725	4734			792.30	880.33	
3350	8312			467.92	519.92	
L435-2				866.74	963.04	

1500	7302			496.76	551.96	601.08
Hybrid 55				2219.23	2465.81	2685.27
Hybrid 60				2219.23	2465.81	2685.27
Imanite	6130			523.95	582.17	633.98
IMACRO	8302			424.30	471.44	513.40
S355	2714			36.70	40.78	44.41