

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
317.50	352.78	384

Ovako UK scrap & alloy surcharges

Dec-22

Please note for customers buying in Euros the Q4 exchange rate is £1 = €1.173

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		26.96	29.96	32.63
NV A		8352		9.30	10.33	11.25
525A61/CCr3		9265		138.34	153.71	167.39
525A61/CCr3		4265 VDG		138.34	153.71	167.39
605M36/605A37	5905			129.50	143.89	
635M15/637M17	4712			263.06	292.29	
655M13	4715			840.27	933.63	
665M17	4801			508.54	565.05	
704A60/CrMo1		4234 VDG		170.11	189.01	205.83
704A60/CrMo1		9234		170.11	189.01	205.83
708M40/708A42	6126	9288 (708M40/708A42)		183.44	203.82	
709M40	6107			225.78	250.87	
722M24	8310			514.97	572.19	
735A51	7402	9282		140.03	155.59	
805H60		9280		268.41	298.24	
817M40	6506	9205		564.92	627.69	
817M40	6510			564.92	627.69	
817M40 + S		4205		567.17	630.19	
826M40	6518			870.97	967.74	
945M38	6201			310.40	344.89	
SAE 1046		8673		66.94	74.38	
4130	6037	9226		260.80	289.78	
4140	6080	9288 (4140)		184.65	205.17	223.43
4140 Ni .2/.25	1272			226.37	251.53	
SAE 4140 Ni .35/.50	6139			282.07	313.41	341.30
SAE1117 ASTM A29		9133		14.67	16.29	17.74
4140 Mod (MPS 14)		9240		220.40	244.88	
4140H	6115			177.74	197.48	
4145	6097			175.63	195.14	
4150	6112	9286 (4150)		175.63	195.14	
4340	6514			584.89	649.87	
5160		9261		78.30	87.00	
8620	4542			261.18	290.20	316.03
8620	4548	9225	152G	261.61	290.68	316.55
8620(M)		9253		260.99	289.99	315.80
100Cr6	5621		803 J/N/P	131.46	146.07	159.07
CHAP031		9663		39.38	43.75	47.65
15B35Hm		9667		47.57	52.85	57.56
15B41 MOD		4689 VDG		64.36	71.51	77.88
15B41 MOD	5497			64.36	71.51	77.88
SB24M13B		9643		30.52	33.91	
SB27M12CB		9660		51.26	56.96	62.03
27M12B		9654		30.19	33.55	36.53
SB30M10B		9651		11.45	12.72	13.85
SB30M12CB		9661		56.23	62.48	68.04
SB33M15CB		4679		57.68	64.09	69.79
SB43M14B		4678		102.30	113.66	123.78
SB600		9823		50.70	56.33	61.35
16MnCr5	4316	9218		88.76	98.62	
16MnCr5	4306	9661		88.76	98.62	
17Cr3	5502			72.06	80.07	87.19
17MnV6	7252	9875		44.63	49.59	54.01
18CrNiMo7-6	4761			129.54	143.94	156.75
20MnCr5	4324			111.06	123.40	
20MnCr5	4334			111.06	123.40	
20MnB5+Cr+HH		4642		36.01	40.01	

20NiCrMo2	4532			280.96	312.18	
23MnNiMoCr54So		4209		532.31	591.45	
23MnNiMoCr54		4219		546.44	607.15	
27MnCrB5	5465			49.04	54.49	
31CrMoV9	6140			340.98	378.87	
33MnCrB5/MPS 16		4648 VDG		289.64	321.82	
MPS16		4648		289.64	321.82	
34CrNiMo6	6499	9205		616.85	685.39	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		152.75	169.73	
38MnSiV6	7221			53.43	59.37	
38MnVs6		4873		44.54	49.48	
40CrMo4	6077			193.65	215.16	234.31
42CrMo4	6082	9288 (42CrMo4)		193.70	215.22	
42CrMO4	1252			190.67	211.86	230.71
42CrMo4		4288		168.03	186.70	203.31
42CrMo4 MOD	6103			243.75	270.84	294.94
42CrMoS4+HH		9287		193.70	215.22	234.37
42CD4	1279			167.38	185.97	202.53
42MnV5		9859		135.20	150.22	163.59
49MnVs3		4850		35.37	39.30	42.79
50CrV4		9282		140.03	155.59	169.43
50CrMo4	6136			193.79	215.33	234.49
51CrV4		4282		142.45	158.28	172.36
51CrV4		4254		193.10	214.56	233.65
51CrV4		9212		129.66	144.07	156.89
51CrV4		4292		150.82	167.58	182.49
51CrV4 Type 1		4291		137.80	153.11	166.74
51CrMoV4		9296		215.66	239.62	260.95
52CrMoV4		4283		223.73	248.59	270.72
52CrMoV4		4296		216.10	240.11	261.48
51CrV4m4		4290		150.63	167.37	182.26
251A58		9073		57.80	64.23	69.94
56SiCr7		9072		39.22	43.58	47.45
56SiCr7		9084		60.45	67.17	
56SiCr7 Mod		9071		60.29	66.99	
61SiCr7(32-45 mm)		4077		69.88	77.65	
92506 (320/380)	4540			259.05	287.83	
92520	4738			466.13	517.93	
92520	4739			463.06	514.51	
92523	4741			417.23	463.59	
92506 'A Level'	1280			251.33	279.26	
92523	4743			394.57	438.41	
92245H	5515			130.61	145.12	158.04
3M		9885		135.88	150.97	
3M Issue 19		4885		110.86	123.18	
Ovako 482 (10M)		9857		53.03	58.92	
14M		4857		65.67	72.96	
17M/18M		9858		28.29	31.43	
17M		9891		28.29	31.43	
S460NL		9856		28.29	31.43	
A193 B7	6093			175.63	195.14	
A193 B16	6098			415.08	461.20	
A320 L7	1281			175.63	195.14	
A320 L7	6137			175.63	195.14	
A320 L7	6135			245.01	272.23	
ASTM A 320L	1281			226.37	251.53	273.91
ASTM A 350 LF2	2735			11.11	12.34	13.44
EN11		9262		63.53	70.59	
SMO215(HYTUFF)	4803			659.50	732.78	797.99
TB1398	4740			418.18	464.64	
V2525-75 (146S)	4757		146S	385.38	428.20	466.31
V2142	7256			45.49	50.54	55.04
V2158	4326			113.55	126.17	
V2158		4222		151.80	168.67	
V2244-75	1266			194.50	216.11	
V2244-00	6129			194.50	216.11	
V2250	6112			179.28	199.19	
V2527-70	4701			488.69	542.99	
453C (SS142534)			453C	923.15	1025.73	1117.02
SB500		9816		40.41	44.90	

V2906	7216	9850		34.02	37.80	
V2908		4108		32.42	36.02	
Cromobolt	6116			242.77	269.75	293.76
047A			047A	9.61	10.67	11.62
143A			143A	92.60	102.89	112.04
146S (V2525-75)	4757		146S	385.38	428.20	466.31
152G (8620)	4548	9225	152G	261.61	290.68	316.55
157C (4320)			157C	574.74	638.59	695.43
157F			157F	481.75	535.28	582.92
157Q			157Q	415.23	461.36	502.42
158Q			158Q	842.35	935.94	1019.24
159B			159B	635.80	706.44	769.32
159X			159X	648.90	721.00	785.17
215B			215B	15.89	17.66	19.23
234K (16MnCr5)			234K	95.32	105.91	115.34
236F			236F	115.28	128.09	139.49
248D			248D	612.19	680.22	740.75
253A			253A	886.51	985.01	1072.68
253F			253F	823.20	914.66	996.07
253L	4722		253L	895.29	994.77	1083.30
253S			253S	887.54	986.16	1073.92
255G			255G	1005.13	1116.81	1216.20
256G			256G	1098.72	1220.80	1329.45
258D			258D	1056.77	1174.19	1278.70
275A			275A	707.75		856.38
277L			277L (X200)	573.61	637.34	694.06
TS280M-LX		9880		45.41	50.46	54.95
280M			280M	65.94		79.79
280T (19MnVS6)			280T	65.94		79.79
280X (19MnVS6)			280X	45.98		55.64
316A			316A	18.30		22.14
322D (25CrMo4)			322D	183.78		222.38
322Y			322Y	127.96	142.18	154.84
326C (4140)			326C	180.41		218.29
327A			327A	259.48		313.97
327A	1233		327A	253.46	281.62	306.68
327A	1291		327A	253.46	281.62	306.68
327B			327B	223.81		270.81
355B			355B	595.95		721.10
356D (34CrNiMo6)			356D	564.84		683.45
368.6		9620		216.14		261.53
398Q			398Q	768.91		930.39
420G			420G	505.05		611.11
495B	6521		495B	650.93		787.62
497Q			497Q (X300)	695.29		841.31
510N			510N	24.18		29.25
513Y			513Y	78.30	87.00	94.75
520M	2721			27.59	30.65	33.38
S355J2(M)		9864		29.77	33.07	36.02
MPS2B ISSUE 2 (S355J2C)		9820		31.82	35.36	38.50
520-S355J2	2723			26.64	29.60	32.24
528A/E (50CrMo4)			528A/E (X500)	183.54	203.93	222.08
593B			593B	219.14	243.49	265.16
593Q			593Q	219.14	243.49	265.16
594Y			594Y	151.31	168.12	183.08
596Y			596Y	230.98	256.65	279.49
667L			677L/Q/T (X600)	235.54		285.00
803J/N/P (100Cr6)	5621		803 J/N/P	131.46	146.07	159.07
803F/Q (100Cr6)			803F/Q (X800)	133.76		161.85
802F	5620		802F	131.22	145.80	158.78
100Cr6		4268		131.22		158.78
824B (100CrMo7)			824B	243.96		295.19
825B (100CrMo7 3)			825B	278.55		337.05
826B (100CrMo7 4)			826B	352.65		426.70
825T			825T	290.32		351.28
827B			827B	411.20		497.56
837N/R (100CrMn6)			837N/R	147.08		177.97
15MA27	7245			93.73	104.15	113.42
1130	5616			183.55	203.94	
2725	4734			809.31	899.23	
3350	8312			441.35	490.39	
L435-2				887.16	985.74	

1500	7302			498.42	553.80	603.09
Hybrid 55				2234.03	2482.26	2703.18
Hybrid 60				2234.03	2482.26	2703.18
Imanite	6130			510.38	567.09	617.56
IMACRO	8302			389.56	432.84	471.37
S355	2714			35.12	39.02	42.49